

Message

From: Kipka, Undine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0D60CC61657D4CEDB97ED154C97B1690-KIPKA, UNDI]
Sent: 12/16/2016 4:19:47 PM
To: Vakalopoulos, Catherine (DEP) [Catherine.Vakalopoulos@MassMail.State.MA.US]
Subject: RE: MBTA CRMF approval letter for flow and 13.4 (MA0003590)
Attachments: Draft_approval_letter_12162016.docx

Hi Cathy,

Please see the latest draft of the approval letter attached. Talk to you this afternoon! Thanks,

Undine Kipka
(617) 918 1335

From: Vakalopoulos, Catherine (DEP) [mailto:Catherine.Vakalopoulos@MassMail.State.MA.US]
Sent: Thursday, December 15, 2016 10:28 AM
To: Kipka, Undine <kipka.undine@epa.gov>
Subject: Fw: MBTA CRMF approval letter for flow and 13.4 (MA0003590)

Joe has some detailed comments, see below. I had planned to incorporate them in a redline strikeout but as you saw in my text, **Ex. 6 Personal Privacy (PP)**

From: Nerden, Joseph (DEP)
Sent: Wednesday, December 14, 2016 8:29:39 AM
To: Vakalopoulos, Catherine (DEP)
Subject: RE: MBTA CRMF approval letter for flow and 13.4 (MA0003590)

Hi Cathy,

You caught me just before I head out to Lynn.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

I'll be back in the office later today if you want to discuss it further.

Thanks,
Joe

From: Vakalopoulos, Catherine (DEP)
Sent: Tuesday, December 13, 2016 7:06 PM
To: Nerden, Joseph (DEP)
Subject: FW: MBTA CRMF approval letter for flow and 13.4 (MA0003590)

Hi Joe,

Please let me know if you have any comments on the attached draft letter. I plan on

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thanks,
Cathy

From: Kipka, Undine [mailto:kipka.undine@epa.gov]
Sent: Tuesday, December 13, 2016 5:07 PM

To: Vakalopoulos, Catherine (DEP)

Subject: MBTA CRMF approval letter for flow and 13.4 (MA0003590)

Hello.

Undine Kipka

Environmental Engineer

U.S. Environmental Protection Agency - Region 1

5 Post Office Square - OEP06-01

Boston, MA 02109-3912

(617) 918 1335



Please consider the environment before printing.